
## Installing protection agents in Linux


1. System requirements for agents

Diskspace requirement for Linux: 2GB

- 2. Installing protection agent in Linux
- i) To add Linux device go to 'All Devices' on the left panel, and click on Add



i) Select Linux



ii) Download will start now




- iii) Once the download is complete, using the WINSCP client, transfer the installer file into the Linux server.
- iv) In the Linux server, run the below command to run the installer:

./CyberProtect\_AgentForLinux\_x86\_64.bin


You may have to use sudo as per below:

-rw-rw-r--. 1 smssb smssb 763453145 Jun 2 05:46 CyberProtect AgentForLinux\_x86\_64.bin [smssb@linuxtest ~]\$ swdo ./CyberProtect\_AgentForLinux\_x86\_64.bin


v) You will see the initialization screen as below:




vi) Using the tab, select Linux



vii) Using the tab, go to Next and press Enter



viii) Installation is started and you will see progress as below:




3. Registering workloads manually


 Installation will prompt you to register the machine. Using the tab, go to Show registration info and press Enter




ii) Copy the registration link and open in your browser. Also note the Registration code for following steps.




iii) At the browser, you can click **Add Devices** 




iv) Scroll down to find **REGISTRATION VIA CODE**, and click **REGISTER** 




v) Copy the Registration code from step (ii) and paste. Select the environment from the dropdown option.



## vi) Click Confirm registration






vii) On the installation screen, you will see Installation is complete. You can **Exit** this.



iv) Once installation is complete, you will see your machine in the All devices:



## 4. Unregistering workloads manually

At the command line, run the following command: sudo "/usr/lib/Acronis/RegisterAgentTool/RegisterAgent" -o unregister

## 5. Uninstalling agents

At the command line, run the following command:

Sudo /usr/lib/Acronis/BackupAndRecovery/uninstall/uninstall